SPECIFICATION SHEET



The Trebro SC2010 self-propelled, automatic stacking roll harvester showcases Trebro's proven reliability in a new innovative design.

...improved harvesting efficiency and higher profits.

It is a compact, lightweight turf harvester that is powered by a 99 HP John Deere engine. With all-wheel drive and rear wheel anti-spin control, the SC2010 stays on track in wet, muddy conditions. The SC2010 is the most maneuverable turf harvester we have ever built. The 170 degree front steering axle with zero turning radius makes it the ideal machine for smaller fields and quicker turns at the end of each row. The deluxe cab, with anti-vibration mounts, has heat and air conditioning for a quiet, comfortable working environment. The driver has excellent visibility of the cutting head, conveyor, and stacking functions. A rear-mounted automatic pallet injector holds 10 empty pallets. For international shipments, it folds down to fit into an ocean container, saving

thousands of dollars in shipping costs.

The SC2010 one-man turf harvester has the newest and latest technology with features requested by today's turf producers. The SC2010 is the key to labor reduction, improved harvesting efficiency, and higher profits.



FEATURES

- Best turning radius in the industry minimizes time spent turning at the end of the field
- Deluxe operators cab with heat & air conditioning is installed on anti-vibration mounts for a quiet operator
 environment
- Comfortable, roomy driver station with a 90 degree rotating seat puts the operator in the best position to see all
 harvesting and stacking functions
- Excellent visibility of cutting head, conveyor, and stacker

continued



SC2010™



Floating head with adjustable-down-pressure



Proven Trebro stacking system



170 degree steering axle



Narrow operating width



Excellent visibility of cutting head, conveyor,



Deluxe cab with heat and air conditioning

SPECIFICATIONS

Width of Cut	24 inches (.61m)
Thickness of Cut	Hydraulically adjusted
Pallet Size	48 X 48 inch single faced (1.22m x 1.22m)
Cutting Knife	One piece with fingers
Steering	Ultra-Steer, (automatic) Front pedastal. 170 degree arc
Weight	14,400 lbs (6,532kg)
Length	27 feet (8.23m)
Width (working)	10 feet, 4 inches (3.15m)
Width (shipping)	7 feet, 6 inches (2.29m)
Height	9 feet, 2 inches (2.79m)
Tires	Front: Goodyear Xtra Trac 31 X 15.50 Back Left: Trelleborg 500 X 45-22.5 Back Right: Trelleborg 560 X 45-22.5
Horsepower	99 hp engine
Transmission	4 speed automatic
All-wheel Drive	Rear wheel electronic anti-spin control

OPTIONS

Spare parts package

FEATURES continued

- Fingertip controls for on-the-go adjustment of thickness, pallet size and roll length
- Pallets can be backed out of the way quickly and easily when a forklift is not available
- Lightweight design and large flotation tires equal superb flotation in all soil conditions
- Fits into an ocean freight container for reduced offshore shipping costs
- 24 inch cutting head with adjustable-down-pressure produces an outstanding quality of cut
- On-the-go flap adjustment keeps the rolls in a perfect position for neat, stable stacks
- Ultra-Steer automatic steering with on-the-go micro adjust can be set to clean cut or to leave a ribbon for uniform re-growth
- Trebro roll-up system is gentle on the weakest turf and produces tight, neat rolls
- On-the-go scrap dump allows operator to discard bad rolls
- Can be easily set to stack flat top or pyramid top stacks of turf up to 9 layers high
- Rear-mounted pallet injector with 10 pallet capacity
- Rear wheel electronic anti-spin control
- Electronically-controlled conveyor speed mode
- Automatic hydraulic conveyor belt tensioning





